




























































Адаптеры JIC

Страница / Page		3	4	4			
Nut, Slives							
		5000 Nut	5010 Metric Sleeve	5020 Sleeve			
Страница / Page		5	5	6	7	7	
JIC swivel							
		5050 Swivel Connector M UNF x F JIC	5055 Swivel Union M Jic x F Jic	5035 Swivel Connector M BSP x F JIC	5056 Swivel Reduction M Jic x F Jic	5060 90° Swivel Elbow F JIC x M JIC	
Страница / Page		8	8	9		9	
JIC swivel							
		5070 45° Swivel Elbow F JIC x M JIC	5080 Run Tee Swivel Connector	5090 Branch Tee Swivel Connector		5260 Swivel Connector F NPSM x M NPTF	
Страница / Page		10	10	11	11	12	
JIC JIC							
		1900 Union	5110 Bulkhead Union	5100 90° Elbow Union	5130 90° Bulkhead Elbow Union	5114 Bulkhead 45° Union Elb. JIC	
Страница / Page		12	13	13	14		
JIC JIC							
		5120 Union Tee JIC	5135 Bulkhead Run Tee JIC	5137 Bulkhead Branch Tee JIC	5900 Union Cross JIC		
Страница / Page		14	15	15	16	16	17
JIC NPTF							
		1906 Male Connector M JIC x M NPTF	5140 90° Elbow Connector M JIC x M NPTF	5160 Run Tee Connector Jic-Jic-NPTF	5150 45° Elbow Connector M JIC x M NPTF	5170 Branch Tee Connector Jic-NPTF-Jic	5180 Male-Female Connector M JIC x F NPTF

Dimensions and general characteristics may be changed at any time without prior notice.

Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.

Адаптеры JIC

Страница / Page	18	18	19	19	20	
JIC UNF						
	1907 Male Connector M JIC x M UNF	5205 Long Male Connector M Jic x M UNF	5190 90° Elbow Connector UNF Orientable	5195 Long Adjustable Elbow UNF Orientable	5200 45° Elbow Connector UNF Orientable	
Страница / Page	20	21	21	22	23	
JIC UNF			JIC BSP			
	5210 Run Tee Connector UNF Orientable	5220 Branch Tee Connector UNF Orientable		1905 Male Connector M JIC x M BSP	1915 Male Connector M Jic x M BSP or	
						
					5185 Male-Female Connector M JIC x F BSP	
Страница / Page	23	24	24	25	25	26
JIC BSP						
	5230 90° Elbow Connector BSP Orientable	5235 Adjustable 45° Elbow M JIC x M BSP	5240 Run Tee Conn ector BSP Orientable	5250 Branch Tee Connector BSP Orientable	5255 Adj. Elb. with swivel nut F JIC x M BSP	5036 Swivel Connector F JIC x M BSP or (ED)
Страница / Page	27	27	28	29	30	
JIC BSPT						
	1903 Male Connector M Jic x M BSPT	5165 90° Elbow Connector M JIC x M BSPT	5265 45° Elbow Connecto r M JIC x M BSPT	5275 Run Tee Connector Jic-Jic-BSPT	5280 Branch Tee Connector Jic-BSPT-Jic	
Страница / Page	31	31	32	32	33	34
JIC METRIC						
	1777 Male Connector M Jic x M Metric	5395 Long Male Connector M Jic x M Metric	5400 Adjustable Elbow M JIC x M Metric	5405 Long Adjustable Elbow M JIC x M Metric	5410 Adjustable 45° Elbow M JIC x M Metric	5425 Adjustable Branch Tee JIC - JIC - Metric
Страница / Page	34	35	35	36	36	
JIC METRIC			Plugs			
	5420 Adjustable Run Tee JIC - Metric - JIC	5037 Swivel Connector F JIC x M Metric or (ED)		5040 SAE Plug	J605 JIC Male Plug	J608 JIC Female Plug Swivel


Dimensions and general characteristics may be changed at any time without prior notice.

Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.

5000

Гайка


Nut



part number	Ø tube		Dimensions			
	mm	inch	F	L	E	
5000-04	6	1/4"	7/16" - 20	16	14	
5000-05	8	5/16"	1/2" - 20	17	17	
5000-06	10	3/8"	9/16" - 18	18	19	
5000-08	12	1/2"	3/4" - 16	21	22	
5000-10	16	5/8"	7/8" - 14	25	27	
5000-12	20	3/4"	1.1/16" - 12	26	32	
5000-16	25	1"	1.5/16" - 12	28	41	
5000-20	32	1-1/4"	1.5/8" - 12	31	50	
5000-24	38	1-1/2"	1.7/8" - 12	36	60	

5010 Кольцо врезное метрическое


Sleeve for inches tube



part number	Ø tube	Dimensions			
	mm	L	C	D	
5010-06	6	10	7	6	
5010-08	8	11	7	8	
5010-10	10	13	8	10	
5010-12	12	14	9	12	
5010-14	14	17	11	14	
5010-15	15	17	11	15	
5010-16	16	17	11	16	
5010-18	18	17	11	18	
5010-20	20	17	11	20	
5010-25	25	20	13	25	
5010-30	30	23	15	30	
5010-32	32	23	15	32	
5010-38	38	28	20	38	

5020 Кольцо дюймовое

Sleeve for inches tube




part number	Ø tube	Dimensions			
	inch	L	C	D	
5020-04	1/4"	10	7	1/4"	
5020-05	5/16"	11	7	5/16"	
5020-06	3/8"	13	8	3/8"	
5020-08	1/2"	14	9	1/2"	
5020-10	5/8"	17	11	5/8"	
5020-12	3/4"	17	11	3/4"	
5020-16	1"	20	13	1"	
5020-20	1.1/4"	23	15	1.1/4"	
5020-24	1.1/2"	28	20	1.1/2"	

5050 Коннектор JIC X UNF

Connector swivel JIC female X UNF male

Резьба / Thread:


UNF/UN (ISO 11926-1)



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5050-04	6	1/4"	7/16" - 20	7/16" - 20	9	33	15	14	
5050-05	8	5/16"	1/2" - 20	1/2" - 20	9	34	17	17	
5050-06	10	3/8"	9/16" - 18	9/16" - 18	10	36	19	17	
5050-08	12	1/2"	3/4" - 16	3/4" - 16	11	42	24	22	
5050-10	16	5/8"	7/8" - 14	7/8" - 14	13	47	27	27	
5050-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	15	51	32	32	
5050-16	25	1"	1.5/16" - 12	1.5/16" - 12	15	58	38	38	
5050-20	32	1-1/4"	1.5/8" - 12	1.5/8" - 12	15	63	50	50	
5050-24	38	1-1/2"	1.7/8" - 12	1.7/8" - 12	15	68	55	55	

5055 Адаптер JIC


Swivel Union M/F JIC



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5055-04	6	1/4"	7/16" - 20	7/16" - 20	14	27	15	12	
5055-05	8	5/16"	1/2" - 20	1/2" - 20	14	28	17	14	
5055-06	10	3/8"	9/16" - 18	9/16" - 18	14	29	19	15	
5055-08	12	1/2"	3/4" - 16	3/4" - 16	17	34	24	19	
5055-10	16	5/8"	7/8" - 14	7/8" - 14	19	39	27	24	
5055-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	22	43	32	27	
5055-16	25	1"	1.5/16" - 12	1.5/16" - 12	23	47	38	34	
5055-20	32	1-1/4"	1.5/8" - 12	1.5/8" - 12	24	53	50	42	
5055-24	38	1-1/2"	1.7/8" - 12	1.7/8" - 12	28	60	55	50	
5055-32	50	2"	2.1/2"-12	2.1/2"-12	34	71	60	65	

5035 Коннектор JIC X BSP

Connector swivel JIC female X BSP male




Резьба / Thread:

BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5035-04-02	6	1/4"	7/16" - 20	1/8"-28	8	28	15	14	
5035-04-04	6	1/4"	7/16" - 20	1/4"-19	11	33	15	19	
5035-04-06	6	1/4"	7/16" - 20	3/8"-19	11	36	15	22	
5035-04-08	6	1/4"	7/16" - 20	1/2"-14	15	41	15	27	
5035-05-04	8	5/16"	1/2" - 20	1/4"-19	11	34	17	19	
5035-05-06	8	5/16"	1/2" - 20	3/8"-19	11	37	17	22	
5035-06-04	10	3/8"	9/16" - 18	1/4"-19	11	35	19	19	
5035-06-06	10	3/8"	9/16" - 18	3/8"-19	11	36	19	22	
5035-06-08	10	3/8"	9/16" - 18	1/2"-14	15	41	19	27	
5035-08-04	12	1/2"	3/4" - 16	1/4"-19	11	36	24	19	
5035-08-06	12	1/2"	3/4" - 16	3/8"-19	11	39	24	22	
5035-08-08	12	1/2"	3/4" - 16	1/2"-14	15	43	24	27	
5035-10-06	16	5/8"	7/8" - 14	3/8"-19	11	43	27	22	
5035-10-08	16	5/8"	7/8" - 14	1/2"-14	15	47	27	27	
5035-10-12	16	5/8"	7/8" - 14	3/4"-14	15	49	27	32	
5035-12-08	20	3/4"	1.1/16" - 12	1/2"-14	15	49	32	27	
5035-12-12	20	3/4"	1.1/16" - 12	3/4"-14	15	49	32	32	
5035-12-16	20	3/4"	1.1/16" - 12	1"-11	19	55	32	41	
5035-16-12	25	1"	1.5/16" - 12	3/4"-14	15	52	38	32	
5035-16-16	25	1"	1.5/16" - 12	1"-11	19	58	38	41	
5035-16-20	25	1"	1.5/16" - 12	1.1/4"-11	19	63	38	50	
5035-20-16	32	1-1/4"	1.5/8" - 12	1"-11	19	58	50	41	
5035-20-20	32	1-1/4"	1.5/8" - 12	1.1/4"-11	19	63	50	50	
5035-24-24	38	1-1/2"	1.7/8" - 12	1.1/2"-11	19	69	55	55	

5056 Адаптер редукционный JIC


Swivel Reduction M/F JIC



part number	Ø tube		Dimensions					
	mm	inch	F	T	B	L	E	
5056-06-04	10	3/8"	9/16" - 18	7/16" - 20	14	23	19	
5056-06-05	10	3/8"	9/16" - 18	1/2" - 20	14	23	19	
5056-08-04	12	1/2"	3/4" - 16	7/16" - 20	14	24	22	
5056-08-05	12	1/2"	3/4" - 16	1/2" - 20	14	24	22	
5056-08-06	12	1/2"	3/4" - 16	9/16" - 18	14	24	22	
5056-10-04	16	5/8"	7/8" - 14	7/16" - 20	14	25	27	
5056-10-06	16	5/8"	7/8" - 14	9/16" - 18	14	25	27	
5056-10-08	16	5/8"	7/8" - 14	3/4" - 16	17	28	27	
5056-12-04	20	3/4"	1.1/16" - 12	7/16" - 20	14	27	32	
5056-12-06	20	3/4"	1.1/16" - 12	9/16" - 18	14	27	32	
5056-12-08	20	3/4"	1.1/16" - 12	3/4" - 16	17	30	32	
5056-12-10	20	3/4"	1.1/16" - 12	7/8" - 14	19	32	32	
5056-16-10	25	1"	1.5/16" - 12	7/8" - 14	19	34	41	
5056-16-12	25	1"	1.5/16" - 12	1.1/16" - 12	22	36	41	
5056-20-12	32	1.1/4"	1.5/8" - 12	1.1/16" - 12	22	39	50	
5056-20-16	32	1.1/4"	1.5/8" - 12	1.5/16" - 12	23	40	50	
5056-24-12	38	1.1/2"	1.7/8" - 12	1.1/16" - 12	22	41	60	
5056-24-16	38	1.1/2"	1.7/8" - 12	1.5/16" - 12	23	42	60	
5056-24-20	38	1.1/2"	1.7/8" - 12	1.5/8" - 12	24	43	60	

5060 Коннектор 90° JIC


90° connector swivel JIC female X JIC male



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5060-04	6	1/4"	7/16" - 20	7/16" - 20	26	23	16	14	
5060-05	8	5/16"	1/2" - 20	1/2" - 20	29	26	16	14	
5060-06	10	3/8"	9/16" - 18	9/16" - 18	32	26	19	14	
5060-08	12	1/2"	3/4" - 16	3/4" - 16	35	32	24	19	
5060-10	16	5/8"	7/8" - 14	7/8" - 14	41	36	27	22	
5060-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	44	40	32	27	
5060-16	25	1"	1.5/16" - 12	1.5/16" - 12	50	42	38	34	
5060-20	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	59	52	50	41	
5060-24	38	1.1/2"	1.7/8" - 12	1.7/8" - 12	66	59	60	48	
5060-32	50	2"	2.1/2" - 12	2.1/2" - 12	78	85	66	70	

5070 Коннектор 45° JIC


45° connector swivel JIC female X JIC male



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5070-04	6	1/4"	7/16" - 20	7/16" - 20	24	19	16	14	
5070-05	8	5/16"	1/2" - 20	1/2" - 20	25	21	16	14	
5070-06	10	3/8"	9/16" - 18	9/16" - 18	25	21	19	14	
5070-08	12	1/2"	3/4" - 16	3/4" - 16	32	29	24	19	
5070-10	16	5/8"	7/8" - 14	7/8" - 14	34	29	27	22	
5070-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	38	33	32	27	
5070-16	25	1"	1.5/16" - 12	1.5/16" - 12	44	48	38	33	

5080 Тройник боковая гайка


Female run tee



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5080-04	6	1/4"	7/16" - 20	7/16" - 20	25	23	15	11	
5080-05	8	5/16"	1/2" - 20	1/2" - 20	27	24	17	13	
5080-06	10	3/8"	9/16" - 18	9/16" - 18	32	27	19	14	
5080-08	12	1/2"	3/4" - 16	3/4" - 16	35	32	24	19	
5080-10	16	5/8"	7/8" - 14	7/8" - 14	41	37	27	22	
5080-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	44	42	32	27	
5080-16	25	1"	1.5/16" - 12	1.5/16" - 12	51	46	38	33	
5080-20	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	58	52	50	41	

5090 Тройник нижняя гайка


Female branch tee



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5090-04	6	1/4"	7/16" - 20	7/16" - 20	25	26	15	14	
5090-05	8	5/16"	1/2" - 20	1/2" - 20	24	27	17	14	
5090-06	10	3/8"	9/16" - 18	9/16" - 18	26	30	19	14	
5090-08	12	1/2"	3/4" - 16	3/4" - 16	32	35	24	19	
5090-10	16	5/8"	7/8" - 14	7/8" - 14	37	41	27	22	
5090-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	42	44	32	27	
5090-16	25	1"	1.5/16" - 12	1.5/16" - 12	46	52	38	33	
5090-20	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	52	59	50	41	

5260 Прямой коннектор NPSM X NPTF

Straight connector NPSM female X NPTF male




Резьба / Thread:

NPT (ANSI/ASME B1.20.1-1983)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5260-02	6	1/4"	1/8" - 28	1/8" - 28	10	28	14	13	
5260-04	8	5/16"	1/4" - 18	1/4" - 18	14	36	19	15	
5260-06	10	3/8"	3/8" - 18	3/8" - 18	14	39	22	19	
5260-08	12	1/2"	1/2" - 14	1/2" - 14	19	48	27	27	
5260-12	20	3/4"	3/4" - 14	3/4" - 14	19	53	32	32	
5260-16	25	1"	1" - 11,5	1" - 11,5	24	61	38	36	

1900 Коннектор наружная резьба


Male connector



part number	Ø tube		Dimensions				
	mm	inch	F	C	L	E	
1900-04-04	6	1/4"	7/16" - 20	14	34	12	
1900-05-05	8	5/16"	1/2" - 20	14	34	14	
1900-06-06	10	3/8"	9/16" - 18	14	34	15	
1900-08-08	12	1/2"	3/4" - 16	17	40	19	
1900-10-10	16	5/8"	7/8" - 14	19	47	24	
1900-12-12	20	3/4"	1.1/16" - 12	22	52	27	
1900-16-16	25	1"	1.5/16" - 12	23	56	34	
1900-20-20	32	1.1/4"	1.5/8" - 12	24	60	42	
1900-24-24	38	1.1/2"	1.7/8" - 12	28	70	50	
1900-32-32	50	2"	2.1/2" - 12	34	85	65	

5110 Прямой переборочный коннектор


Straight Bulkhead Union



part number	Ø tube		Dimensions						
	mm	inch	F	L	C	B	H	E	
5110-04	6	1/4"	7/16" - 20	53	14	31	17	13	
5110-05	8	5/16"	1/2" - 20	53	14	31	19	14	
5110-06	10	3/8"	9/16" - 18	55	14	33	22	16	
5110-08	12	1/2"	3/4" - 16	62	17	37	24	19	
5110-10	16	5/8"	7/8" - 14	70	19	41	30	24	
5110-12	20	3/4"	1.1/16" - 12	79	22	45	36	27	
5110-16	25	1"	1.5/16" - 12	80	23	45	41	36	
5110-20	32	1.1/4"	1.5/8" - 12	84	24	47	50	46	
5110-24	38	1.1/2"	1.7/8" - 12	89	28	47	55	50	

5100 90° адаптер


90° Elbow Union



part number	Ø tube		Dimensions			
	mm	inch	F	C	E	
5100-04	6	1/4"	7/16" - 20	22	14	
5100-05	8	5/16"	1/2" - 20	25	14	
5100-06	10	3/8"	9/16" - 18	26	14	
5100-08	12	1/2"	3/4" - 16	31	19	
5100-10	16	5/8"	7/8" - 14	34	22	
5100-12	20	3/4"	1.1/16" - 12	41	27	
5100-16	25	1"	1.5/16" - 12	50	35	
5100-20	32	1.1/4"	1.5/8" - 12	56	44	
5100-24	38	1.1/2"	1.7/8" - 12	61	50	
5100-32	50	2"	2.1/2" - 12	75	65	

5130 Переборочный адаптер 90°


Bulkhead 90° Elbow Union



part number	Ø tube		Dimensions						
	mm	inch	F	C	L	B	H	E	
5130-04	6	1/4"	7/16" - 20	25	41	28	17	11	
5130-05	8	5/16"	1/2" - 20	27	44	28	19	14	
5130-06	10	3/8"	9/16" - 18	28	46	30	22	14	
5130-08	12	1/2"	3/4" - 16	35	54	35	24	19	
5130-10	16	5/8"	7/8" - 14	40	61	39	30	22	
5130-12	20	3/4"	1.1/16" - 12	45	68	43	36	27	
5130-16	25	1"	1.5/16" - 12	50	71	43	41	33	
5130-20	32	1.1/4"	1.5/8" - 12	55	79	44	50	41	

5114 Переборочный адаптер 45°


Bulkhead 45° Elbow Union



part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
5114-04	6	1/4"	7/16" - 20	7/16" - 20	19	39	17	14	
5114-05	8	5/16"	1/2" - 20	1/2" - 20	19	42	19	14	
5114-06	10	3/8"	9/16" - 18	9/16" - 18	21	43	22	14	
5114-08	12	1/2"	3/4" - 16	3/4" - 16	25	49	24	19	
5114-10	16	5/8"	7/8" - 14	7/8" - 14	28	55	30	22	
5114-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	33	62	36	27	
5114-16	25	1"	1.5/16" - 12	1.5/16" - 12	38	65	41	33	
5114-20	32	1-1/4"	1.5/8" - 12	1.5/8" - 12	41	67	50	41	
5114-24	38	1-1/2"	1.7/8" - 12	1.7/8" - 12	45	68	55	48	

5120 Тройник


Union Tee



part number	Ø tube		Dimensions					
	mm	inch	F	C	L	B	E	
5120-04	6	1/4"	7/16" - 20	26	52	26	14	
5120-05	8	5/16"	1/2" - 20	24	48	24	14	
5120-06	10	3/8"	9/16" - 18	26	52	26	14	
5120-08	12	1/2"	3/4" - 16	32	64	32	19	
5120-10	16	5/8"	7/8" - 14	32	64	32	22	
5120-12	20	3/4"	1.1/16" - 12	42	84	42	27	
5120-16	25	1"	1.5/16" - 12	46	92	46	35	
5120-20	32	1.1/4"	1.5/8" - 12	52	104	52	44	
5120-24	38	1.1/2"	1.7/8" - 12	59	118	59	50	
5120-32	50	2"	2.1/2" - 12	78	156	78	65	

5135 Тройник переборочный боковое


Bulkhead male run tee



part number	Ø tube		Dimensions					
	mm	inch	F		B	C	H	E
5135-04	6	1/4"	7/16" - 20		25	40	17	14
5135-05	8	5/16"	1/2" - 20		27	44	19	14
5135-06	10	3/8"	9/16" - 18		28	46	22	14
5135-08	12	1/2"	3/4" - 16		35	54	24	19
5135-10	16	5/8"	7/8" - 14		40	61	30	22
5135-12	20	3/4"	1.1/16" - 12		45	68	36	27
5135-16	25	1"	1.5/16" - 12		50	71	41	33
5135-20	32	1-1/4"	1.5/8" - 12		55	79	50	41
5135-24	38	1-1/2"	1.7/8" - 12		59	87	55	48

5137 Тройник переборочный нижнее по


Bulkhead male Branch tee



part number	Ø tube		Dimensions					
	mm	inch	F		B	C	H	E
5137-04	6	1/4"	7/16" - 20		25	40	17	14
5137-05	8	5/16"	1/2" - 20		27	44	19	14
5137-06	10	3/8"	9/16" - 18		28	46	22	14
5137-08	12	1/2"	3/4" - 16		35	54	24	19
5137-10	16	5/8"	7/8" - 14		40	61	30	22
5137-12	20	3/4"	1.1/16" - 12		45	68	36	27
5137-16	25	1"	1.5/16" - 12		50	71	41	33
5137-20	32	1-1/4"	1.5/8" - 12		55	79	50	41
5137-24	38	1-1/2"	1.7/8" - 12		59	87	55	48

5900 X-адаптер JIC

Union Cross JIC




part number	Ø tube		Dimensions				
	mm	inch	F		B	L	E
5900-04	6	1/4"	7/16" - 20		14	23	12
5900-05	8	5/16"	1/2" - 20		14	24	14
5900-06	10	3/8"	9/16" - 18		14	27	14
5900-08	12	1/2"	3/4" - 16		17	32	19
5900-10	16	5/8"	7/8" - 14		19	37	22
5900-12	20	3/4"	1.1/16" - 12		22	42	27
5900-16	25	1"	1.5/16" - 12		23	46	33
5900-20	32	1-1/4"	1.5/8" - 12		24	52	41
5900-24	38	1-1/2"	1.7/8" - 12		28	59	48

1906 Коннектор NPTF X JIC

Male connector NPTF male X JIC male

Резьба / Thread:

NPT (ANSI/ASME B1.20.1-1983)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
1906-02-04	6	1/4"	7/16" - 20	1/8"	14	30	10	12	
1906-02-05	8	5/16"	1/2" - 20	1/8"	14	31	10	14	
1906-02-06	10	3/8"	9/16" - 18	1/8"	14	30	10	15	
1906-04-04	6	1/4"	7/16" - 20	1/4"	14	35	14	15	
1906-04-05	8	5/16"	1/2" - 20	1/4"	14	35	14	15	
1906-04-06	10	3/8"	9/16" - 18	1/4"	14	36	14	15	
1906-06-06	10	3/8"	9/16" - 18	3/8"	14	36	14	19	
1906-06-08	12	1/2"	3/4" - 16	3/8"	17	39	14	19	
1906-06-10	16	5/8"	7/8" - 14	3/8"	19	43	14	24	
1906-08-04	6	1/4"	7/16" - 20	1/2"	14	41	19	22	
1906-08-06	10	3/8"	9/16" - 18	1/2"	14	41	19	22	
1906-08-08	12	1/2"	3/4" - 16	1/2"	17	44	19	22	
1906-08-10	16	5/8"	7/8" - 14	1/2"	19	48	19	24	
1906-08-12	20	3/4"	1.1/16" - 12	1/2"	22	49	19	27	
1906-12-08	12	1/2"	3/4" - 16	3/4"	17	45	19	27	
1906-12-10	16	5/8"	7/8" - 14	3/4"	19	50	19	27	
1906-12-12	20	3/4"	1.1/16" - 12	3/4"	22	52	19	27	
1906-12-16	25	1"	1.5/16" - 12	3/4"	23	52	19	34	
1906-16-12	20	3/4"	1.1/16" - 12	1"	22	56	24	36	
1906-16-16	25	1"	1.5/16" - 12	1"	23	58	24	36	
1906-16-20	32	1.1/4"	1.5/8" - 12	1"	24	62	24	46	
1906-20-20	32	1.1/4"	1.5/8" - 12	1.1/4"	24	62	25	46	
1906-24-24	38	1.1/2"	1.7/8" - 12	1.1/2"	28	66	25	50	
1906-32-32	50	2"	2.1/2" - 12	2"	34	78	26	65	

5140 Коннектор 90° JIC X NPTF

90° connector JIC male X NPTF male

Резьба / Thread:

NPT (ANSI/ASME B1.20.1-1983)




part number	Ø tube		Dimensions					
	mm	inch	F	T	C	L	E	
5140-02-04	6	1/4"	7/16" - 20	1/8"	25	24	14	
5140-02-05	8	5/16"	1/2" - 20	1/8"	26	24	14	
5140-04-04	6	1/4"	7/16" - 20	1/4"	26	27	14	
5140-04-05	8	5/16"	1/2" - 20	1/4"	26	27	14	
5140-04-06	10	3/8"	9/16" - 18	1/4"	26	27	14	
5140-06-06	10	3/8"	9/16" - 18	3/8"	28	32	19	
5140-06-08	12	1/2"	3/4" - 16	3/8"	32	32	19	
5140-06-10	14	5/8"	7/8" - 14	3/8"	34	36	22	
5140-08-06	10	3/8"	9/16" - 18	1/2"	29	36	22	
5140-08-08	12	1/2"	3/4" - 16	1/2"	34	36	22	
5140-08-10	15	5/8"	7/8" - 14	1/2"	34	36	22	
5140-08-12	18	3/4"	1.1/16" - 12	1/2"	40	42	27	
5140-12-08	12	1/2"	3/4" - 16	3/4"	36	40	27	
5140-12-10	16	5/8"	7/8" - 14	3/4"	39	43	27	
5140-12-12	20	3/4"	1.1/16" - 12	3/4"	40	43	27	
5140-12-16	25	1"	1.5/16" - 12	3/4"	42	42	33	
5140-16-16	25	1"	1.5/16" - 12	1"	42	42	33	
5140-16-20	32	1.1/4"	1.5/8" - 12	1"	56	57	44	
5140-20-20	32	1.1/4"	1.5/8" - 12	1-1/4"	56	59	44	
5140-24-24	38	1.1/2"	1.7/8" - 12	1-1/2"	62	62	50	
5140-32-32	50	2"	2.1/2" - 12	2"	74	74	65	

5160 Тройник NPTF X JIC

NPTF male Run Tee

Резьба / Thread:

NPT (ANSI/ASME B1.20.1-1983)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
5160-02-04	6	1/4"	7/16" - 20	1/8"	23	43	20	14	
5160-04-04	6	1/4"	7/16" - 20	1/4"	26	52	26	14	
5160-04-05	8	5/16"	1/2" - 20	1/4"	24	51	27	14	
5160-04-06	10	3/8"	9/16" - 18	1/4"	27	55	28	14	
5160-06-08	12	1/2"	3/4" - 16	3/8"	32	63	31	19	
5160-08-10	16	5/8"	7/8" - 14	1/2"	37	74	37	22	
5160-12-12	20	3/4"	1.1/16" - 12	3/4"	42	82	40	27	
5160-16-16	25	1"	1.5/16" - 12	1"	46	92	45,5	32	

5150 Коннектор 45° JIC X NPTF

45° connector JIC male X NPTF male

Резьба / Thread:

NPT (ANSI/ASME B1.20.1-1983)




part number	Ø tube		Dimensions					
	mm	inch	F	T	C	L	E	
5150-02-04	6	1/4"	7/16" - 20	1/8"	20	18	14	
5150-02-05	8	5/16"	1/2" - 20	1/8"	22	20	14	
5150-04-04	6	1/4"	7/16" - 20	1/4"	21	20	14	
5150-04-05	8	5/16"	1/2" - 20	1/4"	20	20	14	
5150-04-06	10	3/8"	9/16" - 18	1/4"	22	23	19	
5150-06-06	10	3/8"	9/16" - 18	3/8"	22	23	19	
5150-06-08	12	1/2"	3/4" - 16	3/8"	27	23	22	
5150-06-10	14	5/8"	7/8" - 14	3/8"	29	23	22	
5150-08-06	10	3/8"	9/16" - 18	1/2"	22	28	22	
5150-08-08	12	1/2"	3/4" - 16	1/2"	27	28	22	
5150-08-10	15	5/8"	7/8" - 14	1/2"	32	32	27	
5150-08-12	18	3/4"	1.1/16" - 12	1/2"	35	32	27	
5150-12-08	12	1/2"	3/4" - 16	3/4"	30	32	27	
5150-12-10	16	5/8"	7/8" - 14	3/4"	29	29	27	
5150-12-12	20	3/4"	1.1/16" - 12	3/4"	33	32	27	
5150-12-16	25	1"	1.5/16" - 12	3/4"	29	29	35	
5150-16-16	25	1"	1.5/16" - 12	1"	37	38	35	
5150-16-20	32	1.1/4"	1.5/8" - 12	1"	42	43	44	
5150-20-20	32	1.1/4"	1.5/8" - 12	1-1/4"	42	43	44	
5150-24-24	38	1.1/2"	1.7/8" - 12	1-1/2"	44	43	50	
5150-32-32	50	2"	2.1/2" - 12	2"	53	52	65	70

5170 Тройник NPTF X JIC

NPTF male branch Tee

Резьба / Thread:

NPT (ANSI/ASME B1.20.1-1983)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
5170-02-04	6	1/4"	7/16" - 20	1/8"	20	46	23	14	
5170-04-04	6	1/4"	7/16" - 20	1/4"	26	52	26	14	
5170-04-05	8	5/16"	1/2" - 20	1/4"	26	52	26	14	
5170-04-06	10	3/8"	9/16" - 18	1/4"	28	54	27	14	
5170-06-08	12	1/2"	3/4" - 16	3/8"	31	64	32	19	
5170-08-10	16	5/8"	7/8" - 14	1/2"	37	74	37	22	
5170-12-12	20	3/4"	1.1/16" - 12	3/4"	40	84	42	27	
5170-16-16	25	1"	1.5/16" - 12	1"	50	92	46	35	

5180 Коннектор NPTF X JIC

Connector NPTF female X JIC male

Резьба / Thread:

NPT (ANSI/ASME B1.20.1-1983)



part number	Ø tube		Dimensions					
	mm	inch	F	T	C	L	E	
5180-02-04	6	1/4"	7/16" - 20	1/8" - 27	14	30	14	
5180-02-05	8	5/16"	1/2" - 20	1/8" - 27	14	30	14	
5180-04-06	10	3/8"	9/16" - 18	1/4" - 18	14	35	19	
5180-06-06	10	3/8"	9/16" - 18	3/8" - 18	14	39	22	
5180-06-08	12	1/2"	3/4" - 16	3/8" - 14	17	39	22	
5180-08-10	16	5/8"	7/8" - 14	1/2" - 14	19	46	24	
5180-12-12	20	3/4"	1.1/16" - 12	3/4" - 14	22	51	27	
5180-16-16	25	1"	1.5/16" - 12	1" - 11.1/2	23	54	36	


1907

Коннектор JIC X UNF

Male connector JIC male X UNF straight thread

Резьба / Thread:

UNF/UN (ISO 11926-1)



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
1907-04-04	6	1/4"	7/16" - 20	7/16" - 20	14	31	9	14	
1907-04-05	6	1/4"	7/16" - 20	1/2" - 20	14	31	9	17	
1907-04-06	6	1/4"	7/16" - 20	9/16" - 18	14	32	10	17	
1907-05-05	8	5/16"	1/2" - 20	1/2" - 20	14	31	9	17	
1907-05-08	8	5/16"	1/2" - 20	3/4" - 14	14	35	11	22	
1907-06-06	10	3/8"	9/16" - 18	9/16" - 18	14	33	10	17	
1907-06-08	10	3/8"	9/16" - 18	3/4" - 14	14	35	11	22	
1907-08-08	12	1/2"	3/4" - 14	3/4" - 14	17	38	11	22	
1907-08-10	12	1/2"	3/4" - 14	7/8" - 14	17	39	13	27	
1907-10-08	14	5/8"	7/8" - 14	3/4" - 14	19	38	11	24	
1907-10-10	15	5/8"	7/8" - 14	7/8" - 14	19	43	13	27	
1907-10-12	16	5/8"	7/8" - 14	1.1/16" - 12	19	47	15	32	
1907-12-10	20	3/4"	1.1/16" - 12	7/8" - 14	22	46	13	27	
1907-12-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	22	50	15	32	
1907-12-16	20	3/4"	1.1/16" - 12	1.5/16" - 12	22	51	15	38	
1907-16-12	25	1"	1.5/16" - 12	1.1/16" - 12	23	51	15	34	
1907-16-16	25	1"	1.5/16" - 12	1.5/16" - 12	23	52	15	38	
1907-20-20	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	24	55	15	50	
1907-24-24	38	1.1/2"	1.7/8" - 12	1.7/8" - 12	28	60	15	55	


5205

Коннектор удлиненный JIC X UNF

Long Male Connector Jic/UNF

Резьба / Thread:

UNF/UN (ISO 11926-1)




part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
5205-04-04	6	1/4"	7/16-20	7/16-20	53	9	36	14	
5205-05-05	8	5/16"	1/2-20	1/2-20	54	9	37	16	
5205-06-06	10	3/8"	9/16-18	9/16-18	59	10	40	17	
5205-08-06	10	3/8"	9/16-18	3/4-16	60	11	40	22	
5205-08-08	12	1/2"	3/4-16	3/4-16	68	11	48	22	
5205-08-10	14-16	5/8"	7/8-14	3/4-16	75	11	53	24	
5205-10-08	12	1/2"	3/4-16	7/8-14	72	13	48	27	
5205-10-10	14-16	5/8"	7/8-14	7/8-14	77	13	53	27	
5205-10-12	18-20	3/4"	1.1/16-12	7/8-14	89	13	64	27	
5205-12-10	14-16	5/8"	7/8-14	1.1/16-12	81	15	53	32	
5205-12-12	18-20	3/4"	1.1/16-12	1.1/16-12	92	15	64	32	
5205-16-12	18-20	3/4"	1.1/16-12	1.5/16-12	93	15	64	35	
5205-16-16	25	1"	1.5/16-12	1.5/16-12	101	15	72	35	
5205-20-20	30-32	1.1/4"	1.5/8-12	1.5/8-12	119	15	88	50	
5205-24-24	38	1.1/2"	1.7/8-12	1.7/8-12	131	15	99	55	

5190 Коннектор 90° регулируемый JIC X UNF

90° elbow "adjustable" connector JIC male X UNF
straight thread male

Резьба / Thread:

UNF/UN (ISO 11926-1)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5190-04	6	1/4"	7/16" - 20	7/16" - 20	24	26	14	11	
5190-05	8	5/16"	1/2" - 20	1/2" - 20	26	32	17	14	
5190-06	10	3/8"	9/16" - 18	9/16" - 18	26	32	17	14	
5190-08	12	1/2"	3/4" - 16	3/4" - 16	31	37	22	19	
5190-10	16	5/8"	7/8" - 14	7/8" - 14	35	43	25	22	
5190-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	41	49	32	27	
5190-16	25	1"	1.5/16" - 12	1.5/16" - 12	47	52	38	35	
5190-20	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	57	57	48	43	

5195 Коннектор регулируемый удлиненный JIC X UNF

45° elbow "adjustable" connector JIC male X UNF
straight thread male

Резьба / Thread:

UNF/UN (ISO 11926-1)




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	
5195-04-04	6	1/4"	7/16-20	7/16-20	23	46	14	12	
5195-05-05	8	5/16"	1/2-20	1/2-20	24	50	16	14	
5195-06-06	10	3/8"	9/16-18	9/16-18	27	57	17	14	
5195-08-06	10	3/8"	9/16-18	3/4-16	29	67	22	19	
5195-08-08	12	1/2"	3/4-16	3/4-16	32	67	22	19	
5195-08-10	14-16	5/8"	7/8-14	3/4-16	37	75	22	22	
5195-10-08	12	1/2"	3/4-16	7/8-14	34	78	27	22	
5195-10-10	14-16	5/8"	7/8-14	7/8-14	37	78	27	22	
5195-10-12	18-20	3/4"	1.1/16-12	7/8-14	42	88	27	27	
5195-12-10	14-16	5/8"	7/8-14	1.1/16-12	40	92	32	27	
5195-12-12	18-20	3/4"	1.1/16-12	1.1/16-12	42	92	32	27	
5195-16-12	18-20	3/4"	1.1/16-12	1.5/16-12	45	105	41	33	
5195-16-16	25	1"	1.5/16-12	1.5/16-12	46	105	41	33	
5195-20-20	30-32	1.1/4"	1.5/8-12	1.5/8-12	52	124	50	41	
5195-24-24	38	1.1/2"	1.7/8-12	1.7/8-12	59	135	55	48	

5200 Коннектор 45° регулируемый JIC X UNF

45° elbow "adjustable" connector JIC male X UNF
straight thread male

Резьба / Thread:

UNF/UN (ISO 11926-1)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5200-04	6	1/4"	7/16" - 20	7/16" - 20	19	27	14	11	
5200-05	8	5/16"	1/2" - 20	1/2" - 20	22	29	17	14	
5200-06	10	3/8"	9/16" - 18	9/16" - 18	22	29	17	14	
5200-08	12	1/2"	3/4" - 16	3/4" - 16	26	33	22	19	
5200-10	16	5/8"	7/8" - 14	7/8" - 14	30	39	25	22	
5200-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	35	44	32	27	
5200-16	25	1"	1.5/16" - 12	1.5/16" - 12	39	47	38	35	
5200-20	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	40	49	48	43	

5210 Тройник регулируемый UNF

Adjustable UNF male run Tee

Резьба / Thread:

UNF/UN (ISO 11926-1)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
5210-04	6	1/4"	7/16" - 20	7/16" - 20	10	49	26	11	
5210-05	8	5/16"	1/2" - 20	1/2" - 20	11	52	28	13	
5210-06	10	3/8"	9/16" - 18	9/16" - 18	11	59	32	14	
5210-08	12	1/2"	3/4" - 16	3/4" - 16	13	69	37	19	
5210-10	16	5/8"	7/8" - 14	7/8" - 14	14	80	43	22	
5210-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	17	91	49	27	
5210-16	25	1"	1.5/16" - 12	1.5/16" - 12	17	98	52	33	

5220 Тройник регулируемый UNF

Adjustable UNF male branch Tee

Резьба / Thread:

UNF/UN (ISO 11926-1)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5220-04	6	1/4"	7/16" - 20	7/16" - 20	23	26	14	11	
5220-05	8	5/16"	1/2" - 20	1/2" - 20	24	28	16	13	
5220-06	10	3/8"	9/16" - 18	9/16" - 18	27	32	17	14	
5220-08	12	1/2"	3/4" - 16	3/4" - 16	32	37	22	19	
5220-10	16	5/8"	7/8" - 14	7/8" - 14	37	43	27	22	
5220-12	20	3/4"	1.1/16" - 12	1.1/16" - 12	42	49	32	27	
5220-16	25	1"	1.5/16" - 12	1.5/16" - 12	46	52	38	33	

1905 Коннектор BSP X JIC

Connector BSP parallel thread male X JIC male

Резьба / Thread:

BSPP (Form A DIN 3852)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
1905-02-04	6	1/4"	7/16" - 20	1/8"	14	29	8	14	
1905-04-04	6	1/4"	7/16" - 20	1/4"	14	34	12	19	
1905-04-05	8	5/16"	1/2" - 20	1/4"	14	34	12	19	
1905-04-06	10	3/8"	9/16" - 18	1/4"	14	34	12	19	
1905-06-05	8	5/16"	1/2" - 20	3/8"	14	36	12	22	
1905-06-06	10	3/8"	9/16" - 18	3/8"	14	36	12	22	
1905-06-08	12	1/2"	3/4" - 16	3/8"	17	38	12	22	
1905-06-10	14	5/8"	7/8" - 14	3/8"	19	42	12	24	
1905-08-06	10	3/8"	9/16" - 18	1/2"	14	39	14	27	
1905-08-08	12	1/2"	3/4" - 16	1/2"	17	42	14	27	
1905-08-10	15	5/8"	7/8" - 14	1/2"	19	44	14	27	
1905-08-12	20	3/4"	1.1/16" - 12	1/2"	22	47	14	27	
1905-10-10	14	5/8"	7/8" - 14	5/8"	19	46	16	30	
1905-10-12	14	5/8"	1.1/16" - 12	5/8"	22	49	16	30	
1905-12-10	14	5/8"	7/8" - 14	3/4"	19	46	16	32	
1905-12-12	20	3/4"	1.1/16" - 12	3/4"	22	49	16	32	
1905-12-16	25	1"	1.5/16" - 12	3/4"	23	52	16	34	
1905-16-12	20	3/4"	1.1/16" - 12	1"	22	52	18	41	
1905-16-16	25	1"	1.5/16" - 12	1"	23	54	18	41	
1905-16-20	32	1.1/4"	1.5/8" - 12	1"	24	57	18	42	
1905-20-20	32	1.1/4"	1.5/8" - 12	1.1/4"	24	58	20	50	
1905-24-20	32	1.1/4"	1.5/8" - 12	1.1/2"	24	59	22	55	
1905-24-24	38	1.1/2"	1.7/8" - 12	1.1/2"	28	63	22	55	

1915 Коннектор JIC/BSP уплотнительное кольцо

Male Connector Jic/BSP O'Ring


Резьба / Thread:
BSPP (ISO 1179-3)



part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
1915-02-04	6	1/4"	7/16-20	1/8-28	29	8	14	14	
1915-02-05	8	5/16"	1/2-20	1/8-28	29	8	14	16	
1915-04-04	6	1/4"	7/16-20	1/4-19	35	12	14	19	
1915-04-05	8	5/16"	1/2-20	1/4-19	35	12	14	19	
1915-04-06	10	3/8"	9/16-18	1/4-19	35	12	14	19	
1915-04-08	12	1/2"	3/4-16	1/4-19	38	12	17	22	
1915-06-04	6	1/4"	7/16-20	3/8-19	35	12	14	24	
1915-06-05	8	5/16"	1/2-20	3/8-19	35	12	14	24	
1915-06-06	10	3/8"	9/16-18	3/8-19	35	12	14	24	
1915-06-08	12	1/2"	3/4-16	3/8-19	38	12	17	24	
1915-06-10	14-16	5/8"	7/8-14	3/8-19	41	12	20	24	
1915-08-06	10	3/8"	9/16-18	1/2-14	38	14	14	27	
1915-08-08	12	1/2"	3/4-16	1/2-14	41	14	17	27	
1915-08-10	14-16	5/8"	7/8-14	1/2-14	44	14	20	27	
1915-08-12	18-20	3/4"	1.1/16-12	1/2-14	47	14	22	27	
1915-12-08	12	1/2"	3/4-16	3/4-11	45	16	17	36	
1915-12-10	14-16	5/8"	7/8-14	3/4-11	48	16	20	36	
1915-12-12	18-20	3/4"	1.1/16-12	3/4-11	50	16	22	36	
1915-12-16	25	1"	1.5/16-12	3/4-11	51	16	23	36	
1915-16-12	18-20	3/4"	1.1/16-12	1-11	53	18	22	41	
1915-16-16	25	1"	1.5/16-12	1-11	54	18	23	41	
1915-16-20	30-32	1.1/4"	1.5/8-12	1-11	56	18	25	42	
1915-20-16	25	1"	1.5/16-12	1.1/4-11	57	20	23	50	
1915-20-20	30-32	1.1/4"	1.5/8-12	1.1/4-11	59	20	25	50	
1915-24-24	38	1.1/2"	1.7/8-12	1.1/2-11	66	22	28	60	

5185 Коннектор BSP X JIC

Connector BSP female X JIC male




part number	Ø tube		Dimensions					
	mm	inch	F	T	C	L	E	
5185-02-04	6	1/4"	7/16-20	1/8-28	14	28	19	
5185-02-05	8	5/16"	1/2-20	1/8-28	14	28	19	
5185-04-04	6	1/4"	7/16-20	1/4-19	14	31	19	
5185-04-05	8	5/16"	1/2-20	1/4-19	14	31	19	
5185-04-06	10	3/8"	9/16-18	1/4-19	14	31	22	
5185-04-08	12	1/2"	3/4-16	1/4-19	17	36	27	
5185-06-06	10	3/8"	9/16-18	3/8-19	14	36	22	
5185-06-08	12	1/2"	3/4-16	3/8-19	17	36	27	
5185-08-06	10	3/8"	9/16-18	1/2-14	14	41	22	
5185-08-08	12	1/2"	3/4-16	1/2-14	17	41	27	
5185-08-10	16	5/8"	7/8-14	1/2-14	20	42	32	
5185-08-12	20	3/4"	1.1/16-12	1/2-14	22	45	32	
5185-12-12	20	3/4"	1.1/16-12	3/4-11	22	48	32	
5185-16-16	25	1"	1.5/16-12	1-11	23	55	41	

5230 Коннектор 90° регулируемый JIC X BSP

90° elbow "adjustable" connector JIC male X BSP straight thread male

Резьба / Thread:
BSPP (ISO 1179-3)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5230-02-04	6	1/4"	7/16" - 20	1/8"	23	26	14	11	
5230-04-04	6	1/4"	7/16" - 20	1/4"	24	32	19	14	
5230-04-05	8	5/16"	1/2" - 20	1/4"	24	33	19	14	
5230-04-06	10	3/8"	9/16" - 18	1/4"	27	32	19	14	
5230-06-06	10	3/8"	9/16" - 18	3/8"	29	37	22	19	
5230-06-08	12	1/2"	3/4" - 16	3/8"	32	37	22	19	
5230-06-10	14	5/8"	7/8" - 14	3/8"	37	43	22	22	
5230-08-08	12	1/2"	3/4" - 16	1/2"	34	43	27	22	
5230-08-10	15	5/8"	7/8" - 14	1/2"	37	43	27	22	
5230-08-12	20	3/4"	1.1/16" - 12	1/2"	42	47	27	27	
5230-12-10	16	5/8"	7/8" - 14	3/4"	37	50	36	27	
5230-12-12	20	3/4"	1.1/16" - 12	3/4"	42	50	36	27	
5230-16-16	25	1"	1.5/16" - 12	1"	46	52	41	33	
5230-20-20	32	1.1/4"	1.5/8" - 12	1.1/4"	52	57	50	41	
5230-24-24	38	1.1/2"	1.7/8" - 12	1.1/2"	59	61	55	48	

5235 Коннектор 45° регулируемый JIC X BSP

Adjustable BSP male run Tee

Резьба / Thread:
BSPP (ISO 1179-3)




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
5235-02-04	6	1/4"	7/16-20	1/8-28	19	27	14	12	
5235-02-05	8	5/16"	1/2-20	1/8-28	20	27	14	14	
5235-04-04	6	1/4"	7/16-20	1/4-19	21	29	19	14	
5235-04-05	8	5/16"	1/2-20	1/4-19	21	29	19	14	
5235-04-06	10	3/8"	9/16-18	1/4-19	21	29	19	14	
5235-04-08	12	1/2"	3/4-16	1/4-19	25	30	19	19	
5235-06-04	6	1/4"	7/16-20	3/8-19	21	33	24	19	
5235-06-05	8	5/16"	1/2-20	3/8-19	21	33	24	19	
5235-06-06	10	3/8"	9/16-18	3/8-19	22	33	24	19	
5235-06-08	12	1/2"	3/4-16	3/8-19	25	33	24	19	
5235-06-10	14-16	5/8"	7/8-14	3/8-19	28	35	24	22	
5235-08-06	10	3/8"	9/16-18	1/2-14	23	39	27	22	
5235-08-08	12	1/2"	3/4-16	1/2-14	25	39	27	22	
5235-08-10	14-16	5/8"	7/8-14	1/2-14	28	39	27	22	
5235-08-12	18-20	3/4"	1.1/16-12	1/2-14	33	41	27	27	
5235-12-08	12	1/2"	3/4-16	3/4-11	28	44	36	27	
5235-12-10	14-16	5/8"	7/8-14	3/4-11	30	44	36	27	
5235-12-12	18-20	3/4"	1.1/16-12	3/4-11	33	44	36	27	
5235-12-16	25	1"	1.5/16-12	3/4-11	37	47	36	33	
5235-16-12	18-20	3/4"	1.1/16-12	1-11	36	47	41	33	
5235-16-16	25	1"	1.5/16-12	1-11	37	47	41	33	
5235-16-20	30-32	1.1/4"	1.5/8-12	1-11	41	49	41	41	
5235-20-16	25	1"	1.5/16-12	1.1/4-11	39	49	50	41	
5235-20-20	30-32	1.1/4"	1.5/8-12	1.1/4-11	41	49	50	41	
5235-24-24	38	1.1/2"	1.7/8-12	1.1/2-11	45	49	60	48	

5240 Тройник регулируемый BSP

Adjustable BSP male run Tee

Резьба / Thread:
BSPP (ISO 1179-3)




part number	Ø tube		Dimensions						
	mm	inch	T	F	C	L	B	E	
5240-02-04	6	1/4"	7/16" - 20	1/8"	6	49	26	11	
5240-04-05	8	5/16"	1/2" - 20	1/4"	11	56	32	14	
5240-04-06	10	3/8"	9/16" - 18	1/4"	11	59	32	14	
5240-06-06	10	3/8"	9/16" - 18	3/8"	11	64	37	19	
5240-06-08	12	1/2"	3/4" - 16	3/8"	11	69	37	19	
5240-08-10	16	5/8"	7/8" - 14	1/2"	13	80	43	22	
5240-12-10	14-16	5/8"	7/8" - 14	3/4"	13	88	49,3	27	
5240-12-12	20	3/4"	1.1/16" - 12	3/4"	13	92	50	27	
5240-16-16	25	1"	1.5/16" - 12	1"	16	98	52	33	

5250 Тройник регулируемый BSP

Adjustable BSP male branch Tee

Резьба / Thread:
BSPP (ISO 1179-3)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
5250-02-04	6	1/4"	7/16" - 20	1/8"	23	26	14	11	
5250-04-05	8	5/16"	1/2" - 20	1/4"	24	32	19	14	
5250-04-06	10	3/8"	9/16" - 18	1/4"	27	32	19	14	
5250-06-06	10	3/8"	9/16" - 18	3/8"	27	37	22	19	
5250-06-08	12	1/2"	3/4" - 16	3/8"	32	37	22	19	
5250-08-08	12	1/2"	3/4" - 16	1/2"	34	43	27	22	
5250-08-10	16	5/8"	7/8" - 14	1/2"	37	43	27	22	
5250-12-12	20	3/4"	1.1/16" - 12	3/4"	42	50	36	27	
5250-16-16	25	1"	1.5/16" - 12	1"	46	52	41	33	

5255 Регулируемый адаптер JIC/BSP

Adjustable Elbow with Swivel Nut JIC/BSP

Резьба / Thread:
BSPP (ISO 1179-3)




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	K
5255-02-04	6	1/4"	7/16-20	1/8-28	18	26	14	12	17
5255-04-04	6	1/4"	7/16-20	1/4-19	18	32	19	14	17
5255-04-05	8	5/16"	1/2-20	1/4-19	19	32	19	14	17
5255-04-06	10	3/8"	9/16-18	1/4-19	23	32	19	14	19
5255-04-08	12	1/2"	3/4-16	1/4-19	24	35	19	19	24
5255-06-05	8	5/16"	1/2-20	3/8-19	22	37	22	19	17
5255-06-06	10	3/8"	9/16-18	3/8-19	23	37	22	19	19
5255-06-08	12	1/2"	3/4-16	3/8-19	25	37	22	19	24
5255-06-10	14-16	5/8"	7/8-14	3/8-19	26	40	22	22	27
5255-08-08	12	1/2"	3/4-16	1/2-14	27	43	27	22	24
5255-08-10	14-16	5/8"	7/8-14	1/2-14	29	43	27	22	27
5255-08-12	18-20	3/4"	1.1/16-12	1/2-14	31	46	27	27	32
5255-12-10	14-16	5/8"	7/8-14	3/4-11	29	55	36	27	27
5255-12-12	18-20	3/4"	1.1/16-12	3/4-11	31	55	36	27	32
5255-12-16	25	1"	1.5/16-12	3/4-11	36	58	36	33	41
5255-16-12	18-20	3/4"	1.1/16-12	1-11	36	60	41	33	32
5255-16-16	25	1"	1.5/16-12	1-11	38	60	41	33	41
5255-20-20	30-32	1.1/4"	1.5/8-12	1.1/4-11	46	62	50	42	50
5255-24-24	38	1.1/2"	1.7/8-12	1.1/2-11	53	65	55	48	55

5036

Адаптер JIC X BSP уплотнение ED (DIN 3852 форма E)

Connector swivel JIC female X BSP male with "ED" seal



Резьба / Thread:

BSPP (Form E DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	D	H	E	
5036-02-04	6	1/4"	7/16"-20	1/8"	8	26	14	14	
5036-02-05	8	5/16"	1/2"-20	1/8"	8	28	17	14	
5036-04-04	6	1/4"	7/16"-20	1/4"	12	26	14	19	
5036-04-05	8	5/16"	1/2"-20	1/4"	12	27	17	19	
5036-04-06	10	3/8"	9/16"-18	1/4"	12	28	19	19	
5036-04-08	12	1/2"	3/4"-16	1/4"	12	30	22	19	
5036-06-04	6	1/4"	7/16"-20	3/8"	12	28	14	22	
5036-06-05	8	5/16"	1/2"-20	3/8"	12	29	17	22	
5036-06-06	10	3/8"	9/16"-18	3/8"	12	30	19	22	
5036-06-08	12	1/2"	3/4"-16	3/8"	12	32	22	22	
5036-06-10	16	5/8"	7/8"-14	3/8"	12	36	27	22	
5036-08-06	10	3/8"	9/16"-18	1/2"	14	31	19	27	
5036-08-08	12	1/2"	3/4"-16	1/2"	14	34	22	27	
5036-08-10	16	5/8"	7/8"-14	1/2"	14	38	27	27	
5036-08-12	20	3/4"	1.1/16"-12	1/2"	14	38	32	27	
5036-12-10	16	5/8"	7/8"-14	3/4"	16	39	27	32	
5036-12-12	20	3/4"	1.1/16"-12	3/4"	16	39	32	32	
5036-12-16	25	1"	1.5/16"-12	3/4"	16	43	41	32	
5036-16-12	20	3/4"	1.1/16"-12	1"	18	41	32	41	
5036-16-16	25	1"	1.5/16"-12	1"	18	44	41	41	
5036-16-20	32	1.1/4"	1.5/8"-12	1"	18	45	50	41	
5036-20-16	25	1"	1.5/16"-12	1.1/4"	20	47	41	50	
5036-20-20	32	1.1/4"	1.5/8"-12	1.1/4"	20	47	50	50	
5036-20-24	32	1.1/4"	1.7/8"-12	1.1/4"	20	54	60	50	
5036-24-24	38	1.1/2"	1.7/8"-12	1.1/2"	22	55	60	55	


1903

Коннектор JIC/BSPT

Male Connector Jic/BSPT

Резьба / Thread:

BSPT (Form C DIN 3852)



part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
1903-02-04	6	1/4"	7/16-20	1/8-28	31	10	14	13	
1903-02-05	8	5/16"	1/2-20	1/8-28	31	10	14	14	
1903-04-04	6	1/4"	7/16-20	1/4-19	36	15	14	14	
1903-04-05	8	5/16"	1/2-20	1/4-19	36	15	14	14	
1903-04-06	10	3/8"	9/16-18	1/4-19	36	15	14	16	
1903-04-08	12	1/2"	3/4-16	1/4-19	39	15	17	19	
1903-06-06	10	3/8"	9/16-18	3/8-19	36	15	14	19	
1903-06-08	12	1/2"	3/4-16	3/8-19	39	15	17	19	
1903-06-10	14-16	5/8"	7/8-14	3/8-19	44	15	20	24	
1903-08-08	12	1/2"	3/4-16	1/2-14	36	19	17	22	
1903-08-10	14-16	5/8"	7/8-14	1/2-14	48	19	20	24	
1903-08-12	18-20	3/4"	1.1/16-12	1/2-14	53	19	22	27	
1903-12-10	14-16	5/8"	7/8-14	3/4-11	50	19	20	27	
1903-12-12	18-20	3/4"	1.1/16-12	3/4-11	53	19	22	27	
1903-12-16	25	1"	1.5/16-12	3/4-11	54	19	23	36	
1903-16-12	18-20	3/4"	1.1/16-12	1-11	58	24	22	36	
1903-16-16	25	1"	1.5/16-12	1-11	59	24	23	36	
1903-16-20	30-32	1.1/4"	1.5/8-12	1-11	62	24	25	42	
1903-20-20	30-32	1.1/4"	1.5/8-12	1.1/4-11	62	25	25	46	
1903-20-24	38	1.1/2"	1.7/8-12	1.1/4-11	67	25	28	50	
1903-24-24	38	1.1/2"	1.7/8-12	1.1/2-11	68	25	28	50	


5165

Адаптер 90° JIC/BSPT

Male 90° Elbow Jic/BSPT

Резьба / Thread:

BSPT (Form C DIN 3852)




part number	Ø tube		Dimensions					
	mm	inch	F	T	L	C	E	
5165-02-04	6	1/4"	7/16"-20	1/8-28	20	23	12	
5165-02-05	8	5/16"	1/2"-20	1/8-28	20	24	14	
5165-04-04	6	1/4"	7/16"-20	1/4-19	28	27	14	
5165-04-05	8	5/16"	1/2"-20	1/4-19	28	27	14	
5165-04-06	10	3/8"	9/16"-18	1/4-19	28	27	14	
5165-04-08	12	1/2"	3/4"-16	1/4-19	31	32	19	
5165-06-06	10	3/8"	9/16"-18	3/8-19	31	29	14	
5165-06-08	12	1/2"	3/4"-16	3/8-19	31	32	19	
5165-06-10	14-16	5/8"	7/8"-14	3/8-19	33	37	22	
5165-08-08	12	1/2"	3/4"-16	1/2-14	38	34	22	
5165-08-10	14-16	5/8"	7/8"-14	1/2-14	38	37	22	
5165-08-12	18-20	3/4"	1.1/16"-12	1/2-14	41	42	27	
5165-12-10	14-16	5/8"	7/8"-14	3/4-11	41	40	27	
5165-12-12	18-20	3/4"	1.1/16"-12	3/4-11	41	42	27	
5165-12-16	25	1"	1.5/16"-12	3/4-11	45	46	33	
5165-16-12	18-20	3/4"	1.1/16"-12	1-11	50	45	33	
5165-16-16	25	1"	1.5/16"-12	1-11	50	46	33	
5165-16-20	30-32	1.1/4"	1.5/8"-12	1-11	60	52	41	
5165-20-20	30-32	1.1/4"	1.5/8"-12	1.1/4-11	61	52	41	
5165-20-24	38	1.1/2"	1.7/8"-12	1.1/4-11	66	59	48	
5165-24-24	38	1.1/2"	1.7/8"-12	1.1/2-11	67	59	48	

5265 Коннектор 45° наружные резьбы JIC/BS

Male 45° Elbow Jic/BSPT

Резьба / Thread:

BSPT (Form C DIN 3852)




part number	Ø tube		Dimensions					
	mm	inch	F	T	L	C	E	
5265-02-04	6	1/4"	7/16-20	1/8-28	17	19	12	
5265-02-05	8	5/16"	1/2-20	1/8-28	17	20	14	
5265-04-04	6	1/4"	7/16-20	1/4-19	22	21	14	
5265-04-05	8	5/16"	1/2-20	1/4-19	22	21	14	
5265-04-06	10	3/8"	9/16-18	1/4-19	22	21	14	
5265-04-08	12	1/2"	3/4-16	1/4-19	24	25	19	
5265-06-06	10	3/8"	9/16-18	3/8-19	24	22	14	
5265-06-08	12	1/2"	3/4-16	3/8-19	24	25	19	
5265-06-10	14-16	5/8"	7/8-14	3/8-19	25	28	22	
5265-08-08	12	1/2"	3/4-16	1/2-14	30	25	22	
5265-08-10	14-16	5/8"	7/8-14	1/2-14	30	28	22	
5265-08-12	18-20	3/4"	1.1/16-12	1/2-14	31	33	27	
5265-12-10	14-16	5/8"	7/8-14	3/4-11	31	30	27	
5265-12-12	18-20	3/4"	1.1/16-12	3/4-11	31	33	27	
5265-12-16	25	1"	1.5/16-12	3/4-11	33	37	33	
5265-16-12	18-20	3/4"	1.1/16-12	1-11	38	36	33	
5265-16-16	25	1"	1.5/16-12	1-11	38	37	33	
5265-16-20	30-32	1.1/4"	1.5/8-12	1-11	42	41	41	
5265-20-20	30-32	1.1/4"	1.5/8-12	1.1/4-11	43	41	41	
5265-20-24	38	1.1/2"	1.7/8-12	1.1/4-11	44	45	48	
5265-24-24	38	1.1/2"	1.7/8-12	1.1/2-11	45	45	48	

5275 Тройник JIC/BSPT

Run Tee Jic/BSPT

Резьба / Thread:

BSPT (Form C DIN 3852)




part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	E	
5275-02-04	6	1/4"	7/16-20	1/8	23	20	12	
5275-02-05	8	5/16"	1/2-20	1/8	24	20	14	
5275-04-04	6	1/4"	7/16-20	1/4	27	28	14	
5275-04-05	8	5/16"	1/2-20	1/4	27	28	14	
5275-04-06	10	3/8"	9/16-18	1/4	27	28	14	
5275-04-08	12	1/2"	3/4-16	1/4	32	31	19	
5275-06-06	10	3/8"	9/16-18	3/8	29	31	14	
5275-06-08	12	1/2"	3/4-16	3/8	32	31	19	
5275-06-10	14-16	5/8"	7/8-14	3/8	37	33	22	
5275-08-08	12	1/2"	3/4-16	1/2	34	38	22	
5275-08-10	14-16	5/8"	7/8-14	1/2	37	38	22	
5275-08-12	18-20	3/4"	1.1/16-12	1/2	42	41	27	
5275-12-10	14-16	5/8"	7/8-14	3/4	40	41	27	
5275-12-12	18-20	3/4"	1.1/16-12	3/4	42	41	27	
5275-12-16	25	1"	1.5/16-12	3/4	46	45	33	
5275-16-12	18-20	3/4"	1.1/16-12	1	45	50	33	
5275-16-16	25	1"	1.5/16-12	1	46	50	33	
5275-16-20	30-32	1.1/4"	1.5/8-12	1	52	60	41	
5275-20-20	30-32	1.1/4"	1.5/8-12	1.1/4	52	61	41	
5275-20-24	38	1.1/2"	1.7/8-12	1.1/4	59	66	48	
5275-24-24	38	1.1/2"	1.7/8-12	1.1/2	59	67	48	

5280 Тройник JIC/BSPT

Branch Tee Jic/BSPT

Резьба / Thread:

BSPT (Form C DIN 3852)




part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	E	
5280-02-04	6	1/4"	7/16-20	1/8	23	20	12	
5280-02-05	8	5/16"	1/2-20	1/8	24	20	14	
5280-04-04	6	1/4"	7/16-20	1/4	27	28	14	
5280-04-05	8	5/16"	1/2-20	1/4	27	28	14	
5280-04-06	10	3/8"	9/16-18	1/4	27	28	14	
5280-04-08	12	1/2"	3/4-16	1/4	32	31	19	
5280-06-06	10	3/8"	9/16-18	3/8	29	31	14	
5280-06-08	12	1/2"	3/4-16	3/8	32	31	19	
5280-06-10	14-16	5/8"	7/8-14	3/8	37	33	22	
5280-08-08	12	1/2"	3/4-16	1/2	34	38	22	
5280-08-10	14-16	5/8"	7/8-14	1/2	37	38	22	
5280-08-12	18-20	3/4"	1.1/16-12	1/2	42	41	27	
5280-12-10	14-16	5/8"	7/8-14	3/4	40	41	27	
5280-12-12	18-20	3/4"	1.1/16-12	3/4	42	41	27	
5280-12-16	25	1"	1.5/16-12	3/4	46	45	33	
5280-16-12	18-20	3/4"	1.1/16-12	1	45	50	33	
5280-16-16	25	1"	1.5/16-12	1	46	50	33	
5280-16-20	30-32	1.1/4"	1.5/8-12	1	52	60	41	
5280-20-20	30-32	1.1/4"	1.5/8-12	1.1/4	52	61	41	
5280-20-24	38	1.1/2"	1.7/8-12	1.1/4	59	66	48	
5280-24-24	38	1.1/2"	1.7/8-12	1.1/2	59	67	48	

1777 Коннектор JIC/метрика DIN 3852-1

Male Connector Jic/Metric DIN 3852-1

Резьба / Thread:

Metric Parallel




part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
1777-10-04	6	1/4"	7/16-20	M10x1	30	9	14	16	
1777-10-05	8	5/16"	1/2-20	M10x1	30	9	14	16	
1777-12-04	6	1/4"	7/16-20	M12x1,5	33	12	14	17	
1777-12-05	8	5/16"	1/2-20	M12x1,5	33	12	14	17	
1777-14-06	10	3/8"	9/16-18	M14x1,5	34	12	14	19	
1777-16-06	10	3/8"	9/16-18	M16x1,5	35	13	14	22	
1777-16-08	12	1/2"	3/4-16	M16x1,5	38	13	17	22	
1777-18-08	12	1/2"	3/4-16	M18x1,5	40	14	17	24	
1777-18-10	14-16	5/8"	7/8-14	M18x1,5	42	14	20	24	
1777-22-10	14-16	5/8"	7/8-14	M22x1,5	45	15	20	30	
1777-22-12	18-20	3/4"	1.1/16-12	M22x1,5	48	15	22	30	
1777-27-12	18-20	3/4"	1.1/16-12	M27x2	53	19	22	36	
1777-27-16	25	1"	1.5/16-12	M27x2	54	19	23	36	
1777-33-16	25	1"	1.5/16-12	M33x2	54	19	23	41	
1777-42-20	30	1.1/4"	1.5/8-12	M42x2	58	20	25	50	
1777-48-24	38	1.1/2"	1.7/8-12	M48x2	65	22	28	60	

5395 Коннектор удлиненный JIC/метрика DIN 3852-2

Long Male Connector Jic/Metric DIN 3852-1

Резьба / Thread:

Metric Parallel




part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
5395-10-04	6	1/4"	7/16-20	M10x1	52	9	36	16	
5395-10-05	8	5/16"	1/2-20	M10x1	53	9	37	16	
5395-12-04	6	1/4"	7/16-20	M12x1,5	54	12	36	17	
5395-12-05	8	5/16"	1/2-20	M12x1,5	56	12	37	17	
5395-14-06	10	3/8"	9/16-18	M14x1,5	59	12	40	19	
5395-16-06	10	3/8"	9/16-18	M16x1,5	60	13	40	22	
5395-16-08	12	1/2"	3/4-16	M16x1,5	69	13	48	22	
5395-18-08	12	1/2"	3/4-16	M18x1,5	71	14	48	24	
5395-18-10	14-16	5/8"	7/8-14	M18x1,5	76	14	53	24	
5395-22-10	14-16	5/8"	7/8-14	M22x1,5	78	15	53	30	
5395-22-12	18-20	3/4"	1.1/16-12	M22x1,5	90	15	64	30	
5395-27-12	18-20	3/4"	1.1/16-12	M27x2	94	19	64	36	
5395-27-16	25	1"	1.5/16-12	M27x2	103	19	72	36	
5395-33-16	25	1"	1.5/16-12	M33x2	103	19	72	41	
5395-42-20	30	1.1/4"	1.5/8-12	M42x2	122	20	88	50	
5395-48-24	38	1.1/2"	1.7/8-12	M48x2	136	22	99	60	

5400 Коннектор 90° регулируемый JIC/метрика DIN 3852-1

Adjustable Elbow JIC/Metric DIN 3852-1

Резьба / Thread:
Metric Parallel




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
5400-10-04	6	1/4"	7/16-20	M10x1	23	27	12	14	
5400-10-05	8	5/16"	1/2-20	M10x1	24	27	14	14	
5400-12-04	6	1/4"	7/16-20	M12x1,5	27	32	14	17	
5400-12-05	8	5/16"	1/2-20	M12x1,5	27	32	14	17	
5400-14-06	10	3/8"	9/16-18	M14x1,5	27	32	14	19	
5400-16-06	10	3/8"	9/16-18	M16x1,5	29	38	19	22	
5400-16-08	12	1/2"	3/4-16	M16x1,5	32	38	19	22	
5400-18-08	12	1/2"	3/4-16	M18x1,5	32	40	19	24	
5400-18-10	14-16	5/8"	7/8-14	M18x1,5	37	41	22	24	
5400-22-10	14-16	5/8"	7/8-14	M22x1,5	37	43	22	27	
5400-22-12	18-20	3/4"	1.1/16-12	M22x1,5	42	45	27	27	
5400-27-12	18-20	3/4"	1.1/16-12	M27x2	42	52	27	36	
5400-27-16	25	1"	1.5/16-12	M27x2	46	52	33	36	
5400-33-16	25	1"	1.5/16-12	M33x2	46	53	33	41	
5400-42-20	30	1.1/4"	1.5/8-12	M42x2	52	58	41	50	
5400-48-24	38	1.1/2"	1.7/8-12	M48x2	59	67	48	60	

5405 Коннектор 90° регулируемый удлиненный JIC/метрика DIN 3852-2

Long Adjustable Elbow JIC/Metric DIN 3852-1


Резьба / Thread:
Metric Parallel



part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
5405-10-04	6	1/4"	7/16-20	M10x1	23	46	12	14	
5405-10-05	8	5/16"	1/2-20	M10x1	24	50	14	14	
5405-12-04	6	1/4"	7/16-20	M12x1,5	27	54	14	17	
5405-12-05	8	5/16"	1/2-20	M12x1,5	27	54	14	17	
5405-14-06	10	3/8"	9/16-18	M14x1,5	27	57	14	19	
5405-16-06	10	3/8"	9/16-18	M16x1,5	29	67	19	22	
5405-16-08	12	1/2"	3/4-16	M16x1,5	32	67	19	22	
5405-18-08	12	1/2"	3/4-16	M18x1,5	32	67	19	24	
5405-18-10	14-16	5/8"	7/8-14	M18x1,5	37	75	22	24	
5405-22-10	14-16	5/8"	7/8-14	M22x1,5	37	78	22	27	
5405-22-12	18-20	3/4"	1.1/16-12	M22x1,5	42	88	27	27	
5405-27-12	18-20	3/4"	1.1/16-12	M27x2	42	95	27	36	
5405-27-16	25	1"	1.5/16-12	M27x2	46	105	33	36	
5405-33-16	25	1"	1.5/16-12	M33x2	46	105	33	41	
5405-42-20	30	1.1/4"	1.5/8-12	M42x2	52	124	41	50	
5405-48-24	38	1.1/2"	1.7/8-12	M48x2	59	141	48	60	

5410 Коннектор 45° регулируемый JIC/метрика DIN 3852-3

Adjustable 45° Elbow JIC/Metric DIN 3852-1



Резьба / Thread:


Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
5410-10-04	6	1/4"	7/16-20	M10x1	19	27	12	14	
5410-10-05	8	5/16"	1/2-20	M10x1	20	27	14	14	
5410-12-04	6	1/4"	7/16-20	M12x1,5	21	29	14	17	
5410-12-05	8	5/16"	1/2-20	M12x1,5	21	29	14	19	
5410-14-06	10	3/8"	9/16-18	M14x1,5	21	29	14	17	
5410-16-06	10	3/8"	9/16-18	M16x1,5	22	33	19	22	
5410-16-08	12	1/2"	3/4-16	M16x1,5	25	33	19	22	
5410-18-08	12	1/2"	3/4-16	M18x1,5	25	33	19	24	
5410-18-10	14-16	5/8"	7/8-14	M18x1,5	28	35	22	24	
5410-22-10	14-16	5/8"	7/8-14	M22x1,5	28	38	22	27	
5410-22-12	18-20	3/4"	1.1/16-12	M22x1,5	33	41	27	27	
5410-27-12	18-20	3/4"	1.1/16-12	M27x2	33	44	27	36	
5410-27-16	25	1"	1.5/16-12	M27x2	37	46	33	36	
5410-33-16	25	1"	1.5/16-12	M33x2	37	47	33	41	
5410-42-20	30	1.1/4"	1.5/8-12	M42x2	41	49	41	50	
5410-48-24	38	1.1/2"	1.7/8-12	M48x2	45	53	48	60	

5420 Регулируемый тройник метрика DIN 3852-1/JIC

Adjustable Run Tee Metric DIN 3852-1/JIC

Резьба / Thread:
Metric Parallel




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
5420-10-04	6	1/4"	7/16-20	M10x1	23	27	12	14	
5420-10-05	8	5/16"	1/2-20	M10x1	24	27	14	14	
5420-12-04	6	1/4"	7/16-20	M12x1,5	27	32	14	17	
5420-12-05	8	5/16"	1/2-20	M12x1,5	27	32	14	19	
5420-14-06	10	3/8"	9/16-18	M14x1,5	27	32	14	17	
5420-16-06	10	3/8"	9/16-18	M16x1,5	29	38	19	22	
5420-16-08	12	1/2"	3/4-16	M16x1,5	32	38	19	22	
5420-18-08	12	1/2"	3/4-16	M18x1,5	32	40	19	24	
5420-18-10	14-16	5/8"	7/8-14	M18x1,5	37	41	22	24	
5420-22-10	14-16	5/8"	7/8-14	M22x1,5	37	43	22	27	
5420-22-12	18-20	3/4"	1.1/16-12	M22x1,5	42	45	27	27	
5420-27-12	18-20	3/4"	1.1/16-12	M27x2	42	52	27	36	
5420-27-16	25	1"	1.5/16-12	M27x2	46	52	33	36	
5420-33-16	25	1"	1.5/16-12	M33x2	46	53	33	41	
5420-42-20	30	1.1/4"	1.5/8-12	M42x2	52	58	41	50	
5420-48-24	38	1.1/2"	1.7/8-12	M48x2	59	67	48	60	

5425 Регулируемый тройник метрика DIN 3852-1/JIC

Adjustable Branch Tee Metric DIN 3852-1/JIC

Резьба / Thread:
Metric Parallel




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
5425-10-04	6	1/4"	7/16-20	M10x1	23	27	12	14	
5425-10-05	8	5/16"	1/2-20	M10x1	24	27	14	14	
5425-12-04	6	1/4"	7/16-20	M12x1,5	27	32	14	17	
5425-12-05	8	5/16"	1/2-20	M12x1,5	27	32	14	19	
5425-14-06	10	3/8"	9/16-18	M14x1,5	27	32	14	17	
5425-16-06	10	3/8"	9/16-18	M16x1,5	29	38	19	22	
5425-16-08	12	1/2"	3/4-16	M16x1,5	32	38	19	22	
5425-18-08	12	1/2"	3/4-16	M18x1,5	32	40	19	24	
5425-18-10	14-16	5/8"	7/8-14	M18x1,5	37	41	22	24	
5425-22-10	14-16	5/8"	7/8-14	M22x1,5	37	43	22	27	
5425-22-12	18-20	3/4"	1.1/16-12	M22x1,5	42	45	27	27	
5425-27-12	18-20	3/4"	1.1/16-12	M27x2	42	52	27	36	
5425-27-16	25	1"	1.5/16-12	M27x2	46	52	33	36	
5425-33-16	25	1"	1.5/16-12	M33x2	46	53	33	41	
5425-42-20	30	1.1/4"	1.5/8-12	M42x2	52	58	41	50	
5425-48-24	38	1.1/2"	1.7/8-12	M48x2	59	67	48	60	

5037 Адаптер JIC/метрика уплотнение ED

Connector swivel JIC female X Metric male with "ED" seal

Резьба / Thread:
BSPP (Form E DIN 3852)




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	D	H	E	
5037-10-04	6	1/4"	7/16"-20	M10x1	8	24,5	14	14	
5037-10-05	8	5/16"	1/2"-20	M10x1	8	26,0	17	14	
5037-12-04	6	1/4"	7/16"-20	M12x1,5	8	24,5	14	17	
5037-12-05	8	5/16"	1/2"-20	M12x1,5	8	26,0	17	17	
5037-14-05	8	5/16"	1/2"-20	M14x1,5	12	26,0	17	19	
5037-14-06	10	3/8"	9/16"-18	M14x1,5	12	26,8	19	19	
5037-16-06	10	3/8"	9/16"-18	M16x1,5	12	27,3	19	22	
5037-16-08	12	1/2"	3/4"-16	M16x1,5	12	29,6	22	22	
5037-18-08	12	1/2"	3/4"-16	M18x1,5	12	30,6	22	24	
5037-18-10	16	5/8"	7/8"-14	M18x1,5	12	34,6	27	24	
5037-20-10	16	5/8"	7/8"-14	M20x1,5	14	35,6	27	27	
5037-22-10	16	5/8"	7/8"-14	M22x1,5	14	36,1	27	29	
5037-22-12	20	3/4"	1.1/16"-12	M22x1,5	14	36,2	32	27	
5037-27-12	20	3/4"	1.1/16"-12	M27x2	16	36,7	32	32	
5037-27-16	25	1"	1.5/16"-12	M27x2	16	40,4	41	32	
5037-33-16	25	1"	1.5/16"-12	M33x2	18	41,4	41	41	
5037-42-20	32	1.1/4"	1.5/8"-12	M42x2	20	43,8	50	50	
5037-48-24	38	1.1/2"	1.7/8"-12	M48x2	22	51,3	60	55	

5040 Заглушка штуцер UNF

UNF male plug


Резьба / Thread:
UNF/UN (ISO 11926-1)



part number	Ø tube		Dimensions			
	mm	inch	F	L	E	
5040-04			7/16" - 20	17	14	
5040-05			1/2" - 20	17	14	
5040-06			9/16" - 18	19	17	
5040-08			3/4" - 16	21	22	
5040-10			7/8" - 14	24	27	
5040-12			1.1/16" - 12	27	32	
5040-16			1.5/16" - 12	28	38	

J605 Заглушка штуцер


Male plug



part number	Ø tube		Dimensions			
	mm	inch	F	L	E	
J605-04			7/16" - 20	22	12	
J605-05			1/2" - 20	20	14	
J605-06			9/16" - 18	22	15	
J605-08			3/4" - 16	25	19	
J605-10			7/8" - 14	27	24	
J605-12			1.1/16" - 12	32	27	
J605-14			1.3/16" - 12	33	32	
J605-16			1.5/16" - 12	33	34	
J605-20			1.5/8" - 12	36	46	
J605-24			1.7/8" - 12	43	50	

J608 Заглушка гайка

Female Plug Swivel



part number	Ø tube		Dimensions			
	mm	inch	F	L	H	
J608-04			7/16" - 20	10	14	
J608-05			1/2" - 20	10	17	
J608-06			9/16" - 18	12	19	
* SAE 45° J608-07			5/8" - 18	12	22	
J608-08			3/4" - 16	13	24	
J608-10			7/8" - 14	14	27	
J608-12			1.1/16" - 12	16	32	
J608-14			1.3/16" - 12	15	36	
J608-16			1.5/16" - 12	17	41	
J608-20			1.5/8" - 12	20	50	
J608-24			1.7/8" - 12	23	55	